
dbConnect Documentation

Release 1.5.0

Emin Mastizada

June 06, 2016

1	Feature Support	3
2	User Guide	5
2.1	Introduction	5
2.2	Installation	5
2.3	Quickstart	6
	Python Module Index	9

Release v1.5.0. (*Installation*)

dbConnect is an *MPLv2 Licensed* Module for **little projects** using *mysql* database. It generates mysql queries automatically, you just send data in pythonic style and it does the rest.

```
>>> from dbConnect import DBConnect
>>> database = DBConnect('credentials.json')
>>> users = database.fetch('users', limit=5, filters={'status': 'active'})
>>> new_user = {'name': 'Emin', 'status': 'active', 'company': 'pyninjas'}
>>> database.insert(new_user, 'users')
```

Feature Support

- **fetch** all fields in table as dictionary (column name: value)
- fetch only selected fields
- fetch using filters
- limit fetch result
- filter case [AND, OR]
- **insert** to table
- **update** row
- **delete** row
- **custom sql query**

2.1 Introduction

2.1.1 dbConnect vs ORM

If you have big project then building models (entities) and using ORM will help you a lot and will be a lot safer.

dbConnect was made as little module to be used in small projects that need to do some interactions with MySQL database.

It's just a big time saver for developers and helps to keep your code clean and readable.

2.1.2 dbConnect License

dbConnect is released under terms of [MPLv2 License](#).

2.2 Installation

This part of the documentation covers the installation of dbConnect.

2.2.1 Requirements

dbConnect uses `mysql.connector`, install it using:

```
$ apt-get install python3-mysql.connector
$ apt-get install python-mysql.connector
```

2.2.2 Distribute & Pip

Installing dbConnect is simple with `pip`, just run this in your terminal:

```
$ pip install dbConnect
```

or, with `easy_install`:

```
$ easy_install dbConnect
```

But, you really [shouldn't do that](#).

2.2.3 Get the Code

dbConnect is actively developed on GitHub, where the code is [always available](#).

You can either clone the public repository:

```
$ git clone git@github.com:mastizada/dbConnect.git
```

Once you have a copy of the source, you can embed it in your Python package, or install it into your site-packages easily:

```
$ python setup.py install
```

2.3 Quickstart

class dbConnect.DBConnect

This page gives a good introduction in how to get started with dbConnect.

First, make sure that:

- dbConnect is *installed*

Lets go over every function.

2.3.1 Connection

dbConnect uses `credentials.json` file from your project directory by default. You can give custom path for that file:

```
>>> database = DBConnect('/home/user/project/credentials.json')
```

Or provide database details:

```
>>> database = DBConnect(host='127.0.0.1', user='root', password='', database='test')
```

After successfull connection there will be **database.connection** and **database.cursor** variables that can be used as in official MySQL documentation.

2.3.2 Fetch Data

Get data from table.

Basic usage:

```
>>> database.fetch('table_name')
```

Fields:

- **table:** `str` : name of table, must be provided
- **limit:** `int` : result limit, default 1000
- **fields:** `array` : list of column names, default None
- **filters:** `dict` : dictionary with keys as column name, default None
- **case:** `str` : search case for filter [AND, OR], default 'AND'

Example:

```
>>> database.fetch('user', limit=5, fields=['id', 'name', 'email'], filters={'company': 'pyninjas'})
>>> database.fetch('user', limit=5, filters={'id': (10, '>=')}) # Get 5 user whose id is higher than 10
>>> database.fetch('user', filters={'email': (None, 'is')}) # Get users whose email is NULL
>>> database.fetch('user', filters={'email': None}) # Same as (None, 'is')
>>> database.fetch('user', filters={'email': (None, 'is not')}) # Get users whose email is not NULL
>>> database.fetch('user', filters={'id': (0, 100, '<=>')}) # Get users whose id is between 0 and 100
>>> database.fetch('user', filters={'id': (0, 100, '<>')}) # Get users whose id is between 1 and 99
```

2.3.3 Insert Data

Add new row (data) to table.

Fields:

- `data: dict` : dictionary with keys as column name, must be provided
- `table: str` : name of table, must be provided
- `commit: bool` : commit after insert command, default: True
- `update: dict` : Update selected columns if key is duplicate, default: None

Example:

```
>>> new_user = {'name': 'Emin', 'company': 'pyninjas', 'website': 'mastizada.com'}
>>> database.insert(new_user, 'user') # Adds new_user to user table
```

Example 2:

```
>>> new_user = {'id': 1, 'name': 'Ramin', 'company': 'pyninjas', 'website': 'mastizada.com'}
>>> # if there is user with id=1, then update its name:
>>> updated_columns = {'name': 'Ramin'}
>>> database.insert(new_user, 'user', update=updated_columns)
```

2.3.4 Update Data

Update existing row.

Fields:

- `data: dict` : dictionary with keys as column name that will be changed, must be provided
- `filters: dict` : filters to find row(s) that will be changed, must be provided
- `table: str` : name of table, must be provided
- `case: str` : search case for filter [AND, OR], default 'AND'
- `commit: bool` : commit after insert command, default: True

Example:

```
>>> database.update({'name': 'Emin Mastizada'}, {'id': 1, 'name': 'Emin'}, 'user', case='OR')
```

2.3.5 Delete Data

Delete row from database.

Fields:

- `table: str` : name of table, must be provided
- `filters: dict` : filters to find row(s) that will be deleted, must be provided
- `case: str` : search case for filter [AND, OR], default ' AND '
- `commit: bool` : commit after insert command, default: True

Example:

```
>>> database.delete('user', {'id': 1, 'name': 'Emin Mastizada'}, case='OR')
```

2.3.6 Increment Columns

Increment provided columns.

Fields:

- `table: str` : name of table, must be provided
- `columns: array` : column names to increment, must be provided
- `steps: int` : Steps to increment, must be provided
- `filters: dict` : filters to find row(s)
- `case: str` : search case for filter [AND, OR], default ' AND '
- `commit: bool` : commit after insert command, default: True

Example:

```
>>> database.increment('user', ['views'], steps=2, filters={'id': 1})
```

2.3.7 Commit Data

Commit changes to database.

No fields.

Example:

```
>>> database.commit()
```

And now enjoy and give me your feedbacks ;)

d

dbConnect, [6](#)

D

DBConnect (class in dbConnect), [6](#)

dbConnect (module), [6](#)